

## Pickering emulsions stabilized by stimuli-responsive microgels: study of their stability

**Auteur :** Duggal, Hitesh

**Promoteur(s) :** Pfennig, Andreas

**Faculté :** Faculté des Sciences appliquées

**Diplôme :** Cours supplémentaires destinés aux étudiants d'échange (Erasmus, ...)

**Année académique :** 2021-2022

**URI/URL :** <http://hdl.handle.net/2268.2/14174>

---

### *Avertissement à l'attention des usagers :*

*Tous les documents placés en accès ouvert sur le site le site MatheO sont protégés par le droit d'auteur. Conformément aux principes énoncés par la "Budapest Open Access Initiative"(BOAI, 2002), l'utilisateur du site peut lire, télécharger, copier, transmettre, imprimer, chercher ou faire un lien vers le texte intégral de ces documents, les disséquer pour les indexer, s'en servir de données pour un logiciel, ou s'en servir à toute autre fin légale (ou prévue par la réglementation relative au droit d'auteur). Toute utilisation du document à des fins commerciales est strictement interdite.*

*Par ailleurs, l'utilisateur s'engage à respecter les droits moraux de l'auteur, principalement le droit à l'intégrité de l'oeuvre et le droit de paternité et ce dans toute utilisation que l'utilisateur entreprend. Ainsi, à titre d'exemple, lorsqu'il reproduira un document par extrait ou dans son intégralité, l'utilisateur citera de manière complète les sources telles que mentionnées ci-dessus. Toute utilisation non explicitement autorisée ci-avant (telle que par exemple, la modification du document ou son résumé) nécessite l'autorisation préalable et expresse des auteurs ou de leurs ayants droit.*

---



# **Pickering emulsions stabilized by stimuli-responsive microgels: study of their stability**

Master's thesis to obtain the academic master's degree of

## **Advanced Materials: Innovative Recycling**

submitted to

### **University of Liège (Faculty of Applied Sciences)**

By: Hitesh Duggal

Supervisors:

Dr. Véronique Schmitt: Researcher, Centre de Recherche Paul Pascal, CNRS, France

Dr. Valérie Ravaine: Professor, INP Bordeaux, France,

Dr.-Ing. Andreas Pfennig: Professor, Department of Chemical Engineering, University of Liège, Belgium

Liège, Belgium

June 2022

Academic year 2021-2022

## **Summary**

Two incompatible liquids compose the dispersion system known as an emulsion. Microgels can act as stabilizers in emulsions, a phenomenon known as Pickering emulsions. Microgels are colloidal particles that can deform and adsorb at liquid interfaces, which explains why microgel-stabilized emulsions have distinctive properties due to their soft and deformable surfaces. The goal of this research is to discover the link between emulsion interfacial characteristics and mechanical behavior. Pickering emulsions were successfully prepared by stabilizing oil-in-water emulsions using pNIPAM microgels in this research. Microgels and emulsions with a narrow size distribution have been synthesized and prepared by carefully operating various parameters. Microgels of varied sizes and cross-linking rates were able to be studied in emulsions with minimal polydispersity, and optical microscopy was used to analyze the packing of microgels at the interface. The first section of the result addressed the formation of emulsions by means of rotor stator homogenization that is driven by limited coalescence phenomenon. Then, the compression behavior of the emulsions was determined by measuring the relationship between osmotic pressure and droplet's volume fraction with the help of centrifugation. This was achieved by analyzing different parameters like the effect of microgel cross-linking density and size, the nature of the oil phase, and formulation technique (emulsification procedure) on the flocculation state. Then, the results were interpreted in terms of the elasticity of the adsorbent particles due to the presence of intrinsically attractive contacts, which proved that the interface of microgels-stabilized drops exhibits the linear relationship between stress and strain that is typical of elastic behavior. With these findings, small size microgels of the 2.5% BIS type appear to be the most suitable for obtaining non-flocculated and kinetically stable emulsions with the highest osmotic pressure and droplets volume fraction as well as linear behavior in interpretation which confirms the elastic behavior of the emulsion.